




武汉芯路恒科技有限公司			
Title	ACM9253		
Size A4	File 01_AD9253	Version 26.4.23	
Date: Tuesday, June 16, 2026	Sheet 1 of 5		

Gain = R1/R2




Gain = R1/R2




因为运放是负极输入，所以这里需要调换输出差分

Gain = R1/R2





Gain = R1/R2





武汉芯路恒科技有限公司		
Title: ACM9253		
Size: A3	File: 02_VIN	Version: 26.4.23
Date: Tuesday, June 16, 2026	Sheet 2 of 5	

$$V_{out} = 1.221 * (R1 / R2 + 1)$$












武汉芯路恒科技有限公司		
Title: ACM9253		
Size: A4	File: 03_POWER	Version: 26.4.23
Date: Tuesday, June 16, 2026	Sheet 3 of 5	


V out = 0.800 * (R1/R2 +1)







V out = Vref* (R1/R2 +1) Vref = - 1.175V





武汉芯路恒科技有限公司		
Title: ACM9253		
Size: A4	File: 04_LDO	Version: 26.4.23
Date: Tuesday, June 16, 2026	Sheet 4 of 5	





武汉芯路恒科技有限公司		
Title: ACM9253		
Size: B	File: 05_Connector	Version: 26.4.23
Date: Tuesday, June 16, 2026	Sheet 5 of 5	